

We know trauma surgery is challenging and ever-changing.

You require the ability to adapt in the OR.

Does your implant system give you the flexibility you need?

Are you facing challenges like:

- Incomplete implant systems
- Limited compatibility
- Outdated technology



The EVOS^o SMALL Plating System has evolved with your skillset to meet the demands and expectations of trauma surgery.




These plates and screws are designed to give you stability where you need it and flexibility where you want it.


All inclusive, expansive plating system

The EVOS^o SMALL implant portfolio thoughtfully considers every fracture need. We offer Locking, Non-Locking and Variable-Angle Locking Plates to address fixation needs in simple to complex fractures.

EVOS SMALL Upper Extremity Plates



EVOS SMALL Lower Extremity Plates





Locking straight plate tray



Non-locking straight plate tray




Simplified


Integrated solutions for fracture fixation

The EVOS^o SMALL Plating System offers surgeons the simplicity of one, comprehensive plating system that addresses all of their small fragment surgical needs.


Logically organized instrumentation



2.7mm Instrument Tray



3.5mm Instrument Tray



Additionally, this system provides color coding of instruments and trays to match plate and screw fixation options.



2.7m-m/3.5mm Non-locking Straight Plate Tray



2.7mm/3.5mm Locking Straight Plate Tray



Auxiliary Screw Caddy

- 2.7mm Cortex Screws (6-16mm)
- 2.7mm Locking Screws (6-16mm)
- 4.0mm Osteopenia Screws FT (10-16mm)
- 3.5mm Cortex Screws (6-22mm)
- 4.7mm Osteopenia Screws (10-16mm)



Screw Caddy

- 2.7mm Cortex Screws (10-80mm)
- 2.7mm Locking Screws (10-80mm)
- 4.0mm Osteopenia Screws FT (10-80mm)
- 4.0mm Osteopenia Screws PT (26-80mm)
- 3.5mm Cortex Screws (10-90mm)
- 3.5mm Locking Screws (10-90mm
- 4.7mm Osteopenia Screws FT (10-90mm)
- 4.7mm Osteopenia Screws PT (26-90mm)

One locking screw

We designed one screw for threaded locking and variable-angle locking.



One drill bit One driver

2.0mm Drill 2.5mm Drill **T8** Driver 2.5mm Hex Driver 2.7mm Screws 4.0mm Screws 3.5mm Screws 4.7mm Screws

Advanced technology Evolutionary approach to plate and screw designs

The EVOS^o SMALL Plating System offers surgeons stability where they want it and flexibility when they need it.

Fracture specific options

OTA Type B Fractures

- Low profile plates for buttressing partial articular fractures
- Variable angle options throughout the plate
 - Six tabs engage the locking screw head at angles up to 15° off axis
- Middle slot allows for axial compression if needed







- Reinforced plate shaft and threaded locking technology provide enhanced stability*1
- Locking hole allows for axial compression if needed²



Multiple metaphyseal fixation options designed to allow for rebuilding and structural support of the articular surface.³ Small points of fixation allow for fixation in close proximity of the joint to aid in maintaining joint reduction.³



Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Smith+Nephew representative or distributor if you have questions about the availability of Smith+Nephew products in your area. For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's applicable Instructions for Use (IFU) prior to use.		
Smith & Nephew, Inc. 1450 Brooks Road Memphis, Tennessee 38116 USA	www.smith-nephew.com	°Trademark of Smith+Nephew All Trademarks acknowledged ©2025 Smith & Nephew, Inc. 09613 V4 11/25
References 1. Smith+Nephew 2022. EVOS SMALL Plate Profile Analysis Internal Report. EO.TRA.PCS008.002.v1 2. Smith+Nephew 2016. Compression in 3.5mm Threaded Compression Hole and Variable Angle 6 tab. Internal Report. 3. Smith+Nephew 2022. EVOS SMALL Plate Fixation Options. Internal Report. EO.TRA.PCS008.v1		